

ORDER	Schools	Postcode	Nitrogen dioxide concentration ( $\mu\text{g}/\text{m}^3$ )				
			Sep 2019	Oct 2019	Nov 2019	Dec 2019	Jan 2020
			Street	Street	Street	Street	Street
85	Abercorn School (Early Years)	NW9 9XP	34.8	30.4	43.4	N/A	41.9
66	Abercorn School (Pre-Prep)	NW1 6JF	N/A	N/A	63.1	N/A	44.4
54	Abercorn School (Prep)	W1B 1LS	45.1	50.5	62.6	N/A	51.3
63	Abingdon House School	NW1 6LG	36.1	37.3	47.1	N/A	49.3
53	All Souls C of E Primary School	W1W 7JJ	40.1	39.9	52.7	N/A	39.2
47	ARK Atwood Academy	W9 2JY	29.2	32.2	40.4	N/A	31.4
79	ARK King Solomon Academy	NW1 6RX	34.5	35.5	46.3	N/A	41.3
86	Arnold House School	NW8 0LH	33.7	30.4	48.8	N/A	39.4
100	Bales Private School and Sixth Form College	W10 4AA	48.1	N/A	58.5	N/A	68.1
94	Barrow Hill Junior School	NW8 7AL	27.3	24.7	35.6	N/A	34.5
88	Beachcroft AP Academy	NW8 ONW	N/A	59.4	60.6	N/A	52.7
28	Burdett Coutts & Townshend C of E Primary School	SW1P 2QQ	30.7	37.2	43.2	N/A	39.3
65	Christ Church Bentinck C of E Primary School	NW1 5NS	33.6	41.8	54.2	N/A	48.1
17	Churchill Gardens Primary Academy	SW1V 3EU	28.4	39.5	45.6	N/A	43.4
39	College Park School	W2 4PH	31.3	34.0	N/A	N/A	39.2
70	Connaught House School	W2 2HL	N/A	41.0	59.1	N/A	50.9
103	Dorothy Gardner Centre	W9 3JY	31.2	32.1	46.7	37.2	35.9
26	Eaton House School	SW1W 9BA	46.9	49.2	55.3	41.0	N/A
27	Eaton Square School	SW1V 1PP	35.7	36.8	55.3	37.2	N/A
44	Edward Wilson Primary School	W2 5SL	34.0	38.7	42.9	41.0	43.0
50	Essendine Primary School	W9 2LR	27.4	22.4	42.5	34.5	42.3
7	Fairley House School	SW1P 4AU	32.0	N/A	43.3	34.5	34.5
81	Fisherton Street and Luton Street Play Street		36.2	34.6	52.0	42.8	43.3
62	Francis Holland School (Regent's Park)	NW1 6XR	N/A	42.8	47.8	50.7	56.8
24	Francis Holland School (Sloane Square)	SW1W 8JF	32.5	39.8	47.7	32.8	42.6
80	Gateway Academy	NW8 8LN	45.9	N/A	56.9	50.7	45.7
89	George Eliot Primary School	NW8 0NH	25.9	29.0	44.6	32.8	N/A
71	Halcyon London International School	W1H 5AU	43.9	38.8	54.6	53.5	49.1
38	Hallfield Primary School	W2 6JJ	32.8	34.9	47.7	36.8	N/A
74	Hampden Gurney C of E Primary School	W1H 5HA	29.1	42.3	30.2	45.9	47.0
90	Harris Academy, St Johns Wood	NW8 0NL	31.0	30.8	43.5	33.9	43.2
2	Harris Westminster Sixth Form	SW1H 9LH	36.8	53.5	64.1	47.7	45.1
68	International Community School (Wyndham Place)	W1H 1PN	39.7	37.6	53.0	39.8	45.6
75	International Community School (Star Lane)	W2 1QB	42.7	41.6	56.6	49.6	44.4
37	Kensington Park School	W2 4AT	33.9	38.2	49.6	36.8	39.9
78	King Solomon Academy	W2 1ND	31.3	25.5	36.9	N/A	34.5
77	L'ecole Bilingue Elementaire	W2 1SJ	25.0	31.5	42.0	38.2	46.2
56	L'ecole Internationale Franco-Anglaise Ltd	W1B 1LS	N/A	45.6	67.4	55.2	49.5
104	Mary Paterson Nursery School	W9 3DF	27.5	26.0	39.0	34.4	35.2
76	Marylebone Boys' School	NW6 7BH	46.3	40.1	63.0	42.8	N/A
6	Millbank Academy	SW1P 4HR	30.2	N/A	42.0	34.4	N/A

95	Naima Jewish Preparatory School	NW6 5ED	34.4	33.3	49.9	36.8	38.2
43	Our Lady of Dolours RC Primary School	W2 5SR	34.1	30.6	52.8	38.8	38.0
49	Paddington Academy	W9 2DR	30.1	30.0	42.7	38.8	36.2
11	Pimlico Academy	SW1V 3AT	39.6	45.1	53.8	N/A	49.4
14	Pimlico Primary	SW1V 3AT	39.6	45.1	53.8	N/A	49.4
55	Portland Place School	W1B 1NJ	42.7	71.4	N/A	48.1	46.4
82	Portman Early Childhood Centre	NW8 8DE	38.9	32.7	52.8	44.1	49.8
105	Queen Elizabeth II Jubilee School	W9 3LG	33.3	31.7	46.1	38.2	39.4
58	Queen's College London	W1G 8BT	37.6	34.6	52.4	44.9	46.3
102	Queen's Park Primary School	W10 4DQ	27.4	30.5	45.5	36.9	34.2
91	Robinsfield Infant School	NW8 6PX	21.0	24.4	44.9	49.6	37.7
20	Sir Simon Milton University Technical College	SW1V 4LH	37.1	40.1	47.8	33.3	N/A
52	Soho Parish C of E Primary School	W1V 7PH	44.1	N/A	55.2	57.8	45.1
57	Southbank International School (Westminster)	W1B 1QR	47.5	44.6	60.9	52.8	59.0
96	St Augustine's C of E High School	NW6 5SN	36.1	39.0	44.6	39.0	45.1
97	St Augustine's C of E Primary School	NW6 5SN	34.3	32.1	48.7	40.7	N/A
22	St Barnabas' C of E Primary School	SW1 8PF	44.1	43.4	54.0	40.7	50.6
92	St Christina's School	NW8 7PY	29.1	32.1	43.6	38.7	38.4
51	St Clement Dane's C of E Primary School	WC2B 5SU	43.3	48.1	59.5	51.0	51.8
64	St Edward's RC Primary School	NW1 6LH	45.2	40.7	55.6	53.4	50.2
19	St Gabriel's C of E Primary School	SW1V 3AG	25.8	32.1	36.9	N/A	35.8
84	St George's Catholic School (Maida Vale)	W9 1RB	44.4	31.7	49.3	42.8	49.1
69	St George's Hanover Square C of E Primary School	W1K 2XQ	39.1	41.2	53.8	49.6	50.5
36	St James and St John C of E VA Primary School	W2 3QD	35.6	38.7	54.8	44.4	43.8
93	St John's Wood Pre-Preparatory School	NW8 7NE	45.0	38.2	50.7	46.4	46.3
83	St Joseph's RC Primary School	W9 1DF	35.3	35.6	52.5	46.4	38.5
98	St Luke's C of E Primary School	W9 3EJ	39.0	35.0	50.9	42.8	45.4
45	St Mary Magdalene C of E Primary School	W2 5TF	29.7	18.0	51.0	31.4	N/A
42	St Mary of the Angels RC Primary School	W2 5PR	44.4	46.4	61.3	N/A	41.3
61	St Marylebone CE School	W1U 5BA	40.6	35.8	49.6	45.0	42.4
67	St Mary's Bryanston Square C of E School	W1H 1DL	31.4	40.1	45.4	48.5	52.3
5	St Matthew's CE Primary School	SW1P 2DG	31.5	38.6	42.1	38.4	39.9
35	St Nicholas Preparatory School	SW7 1PT	45.6	53.5	57.8	59.4	63.7
48	St Peter's C of E Primary School	W9 2AN	35.0	34.8	45.3	45.3	45.4
34	St Peter's Eaton Square C of E Primary School	SW1W 0NL	36.2	37.3	47.1	42.7	43.3
46	St Saviour's C of E Primary School	W9 2JD	N/A	35.3	53.4	42.1	N/A
40	St Stephen's C of E Primary School	W2 5QH	39.7	38.4	54.0	47.1	47.0
32	St Vincent de Paul RC Primary School	SW1P 1EP	33.9	34.2	45.5	38.2	38.8
60	St Vincent's RC Primary School	W1U 4DF	36.2	31.8	50.8	46.4	42.1
73	Sylvia Young Theatre School	W1H 5YZ	49.4	36.2	54.1	50.9	46.6
10	Tachbrook Nursery School	SW1V 3RT	23.3	31.2	43.8	N/A	37.4
87	The American School in London	NW8 0NP	31.3	25.9	52.7	40.9	36.2
30	The Grey Coat Hospital (Site 1)	SW1P 2DY	52.4	47.3	56.6	48.9	40.5

29	The Grey Coat Hospital (Site 2)	SW1P 4GH	43.7	47.3	53.1	52.3	55.1
101	The St Marylebone C of E Bridge School	W10 4RS	16.8	22.3	45.1	36.8	N/A
3	Westminster Abbey Choir School	SW1P 3PA	43.9	N/A	53.5	44.9	42.1
41	Westminster Academy	W2 5EZ	28.0	48.5	70.2	58.5	58.7
31	Westminster Cathedral Choir School	SW1P 1QH	24.5	33.1	48.8	40.8	N/A
9	Westminster Cathedral RC Primary School	SW1V 3SE	29.9	34.9	44.6	36.7	35.0
33	Westminster City School	SW1E 5HJ	37.3	40.4	54.7	55.5	N/A
4	Westminster School	SW1P 3PF	30.0	32.2	47.1	37.6	40.8
8	Westminster Under School	SW1P 2NN	32.3	31.8	39.2	38.5	36.2
72	Wetherby Preparatory School	W1H 2EA	44.9	N/A	54.7	55.2	46.4
59	Wetherby Senior School	W1U 2QU	28.7	48.2	59.4	58.3	52.9
99	Wilberforce Primary School	W10 4LB	26.6	23.2	41.8	34.1	35.2

108

**NOTE DATA HAS NOT BEEN BIAS ADJUSTED**

35.6	37.2	50.2	43.4	44.2
------	------	------	------	------

Feb 2020	Mar 2020	Apr 2020	May 2020	Jun 2020	Jul 2020	Aug 2020	Sep 2020	Oct 2020	Nov 2020	Dec 2020	Average
Street	Street	N/A	N/A	Street	Street	Street	Street	Street	Street	Street	Street
34.6	25.8	no testing	no testing	21.3	22.8	17.5	27.3	33.4	40.5	N/A	31.2
53.7	44.3	no testing	no testing	47.2	48.0	34.6	37.9	40.3	55.1	47.7	46.9
40.6	31.7	no testing	no testing	29.1	28.0	20.7	58.3	35.2	44.7	41.8	41.5
36.2	31.2	no testing	no testing	26.6	24.9	20.8	35.3	28.7	42.2	36.6	34.8
30.8	29.0	no testing	no testing	23.9	22.7	15.9	30.1	34.5	40.4	36.4	33.5
29.5	21.0	no testing	no testing	18.0	20.0	14.3	N/A	N/A	39.3	33.9	28.1
32.7	27.4	no testing	no testing	23.6	27.2	17.6	31.1	30.6	39.4	34.3	32.4
32.8	23.7	no testing	no testing	19.7	20.2	15.4	60.9	29.8	32.9	45.3	33.3
50.6	43.7	no testing	no testing	47.5	41.9	37.9	26.1	N/A	43.8	29.9	45.1
28.7	22.4	no testing	no testing	17.7	20.4	14.8	42.9	30.6	35.0	49.3	29.5
46.7	34.5	no testing	no testing	35.8	37.5	32.1	28.0	45.6	51.6	36.7	43.4
33.1	21.7	no testing	no testing	19.1	19.1	14.7	33.5	28.8	34.6	N/A	29.6
41.3	28.6	no testing	no testing	27.0	28.3	20.8	30.1	31.6	46.3	N/A	36.0
33.8	N/A	no testing	no testing	23.9	26.2	20.7	31.7	38.5	42.0	36.0	34.1
32.0	24.0	no testing	no testing	19.9	22.9	16.4	36.9	N/A	38.5	34.2	30.0
40.5	33.8	no testing	no testing	27.9	31.2	24.1	30.5	38.9	42.1	38.2	38.2
34.2	23.8	no testing	no testing	25.2	25.1	19.4	N/A	N/A	39.5	32.7	31.9
N/A	30.0	no testing	no testing	26.7	N/A	23.0	34.4	42.8	59.1	41.7	40.9
N/A	26.4	no testing	no testing	22.9	22.8	19.0	31.8	32.3	40.8	37.1	33.2
39.2	27.4	no testing	no testing	22.4	25.8	17.6	26.1	N/A	46.1	41.0	34.2
31.3	21.8	no testing	no testing	16.9	19.9	14.0	30.1	N/A	36.9	30.2	28.5
N/A	24.1	no testing	no testing	22.6	22.6	17.6	29.4	33.1	37.7	30.0	30.1
35.3	28.1	no testing	no testing	24.5	27.4	19.4	44.5	30.1	41.9	34.6	35.3
54.1	32.5	no testing	no testing	16.5	38.0	26.5	30.7	N/A	49.3	48.4	41.2
33.0	22.5	no testing	no testing	33.4	20.1	16.9	40.8	30.2	37.6	38.0	33.4
47.1	29.1	no testing	no testing	31.6	34.1	23.3	24.3	28.7	42.2	36.0	38.1
29.3	20.1	no testing	no testing	16.6	19.1	14.3	N/A	29.2	34.7	31.2	27.2
44.8	32.4	no testing	no testing	24.6	30.4	19.2	28.6	40.6	45.9	41.0	39.1
31.2	23.5	no testing	no testing	14.3	20.9	15.3	33.8	N/A	36.2	35.1	30.2
37.4	28.0	no testing	no testing	24.5	27.6	20.6	24.0	41.5	39.6	35.6	33.8
32.8	24.1	no testing	no testing	20.0	20.9	15.9	33.8	26.6	34.1	32.0	30.2
48.8	29.5	no testing	no testing	23.0	23.0	20.4	29.8	32.4	42.1	34.6	37.9
36.5	43.6	no testing	no testing	21.7	22.7	17.3	40.8	28.4	41.7	36.7	36.1
38.5	N/A	no testing	no testing	23.8	25.8	20.2	30.3	33.5	N/A	N/A	37.0
34.3	23.3	no testing	no testing	19.4	22.2	15.7	25.0	28.3	N/A	34.6	30.9
29.6	N/A	no testing	no testing	16.5	18.2	13.4	26.5	23.4	36.0	28.1	26.7
32.3	20.4	no testing	no testing	19.3	21.2	14.7	25.7	29.4	11.6	33.2	27.9
44.8	26.0	no testing	no testing	29.3	31.1	24.6	42.3	N/A	45.2	39.7	41.7
30.3	21.5	no testing	no testing	17.4	19.6	14.0	25.7	N/A	37.5	28.2	27.4
N/A	31.7	no testing	no testing	N/A	27.5	18.7	34.8	N/A	46.0	36.0	38.7
31.4	21.8	no testing	no testing	19.3	19.4	14.9	N/A	25.7	34.8	34.0	28.0

33.0	23.2	no testing	no testing	19.1	22.0	16.8	30.4	27.1	38.8	33.0	31.1
35.2	24.6	no testing	no testing	19.5	22.2	16.2	28.2		41.8	35.7	32.1
33.9	22.8	no testing	no testing	N/A	20.4	14.9	27.4	26.3	36.6	32.1	30.2
31.2	25.4	no testing	no testing	31.2	31.9	23.1	N/A	42.7	48.7	43.0	38.8
31.2	25.4	no testing	no testing	31.2	31.9	23.1	N/A	42.7	48.7	43.0	38.8
42.1	32.0	no testing	no testing	28.1	27.3	21.4	34.8	36.6	43.3	37.1	39.3
38.1	26.5	no testing	no testing	25.9	23.3	18.9	N/A	30.5	43.8	39.4	35.7
37.1	26.3	no testing	no testing	21.0	23.3	16.6	27.8	24.2	41.5	34.4	31.5
43.0	29.0	no testing	no testing	24.8	25.8	20.5	33.3	38.1	41.3	39.2	36.5
32.9	22.5	no testing	no testing	19.9	21.7	14.2	N/A	N/A	38.7	N/A	29.5
33.4	22.9	no testing	no testing	16.1	20.3	14.0	N/A	30.4	33.5	29.7	29.1
N/A	24.3	no testing	no testing	26.2	25.3	20.0	28.8	28.4	39.2	34.8	32.1
45.5	28.0	no testing	no testing	22.9	25.4	N/A	31.9	29.4	39.6	34.9	38.3
48.1	41.7	no testing	no testing	30.0	35.6	25.9	34.8	37.0	N/A	36.6	42.7
N/A	27.9	no testing	no testing	24.5	25.7	19.7	N/A	41.7	48.0	42.6	36.2
35.2	26.6	no testing	no testing	24.5	23.8	17.7	33.6	35.1	N/A	34.4	32.2
39.2	31.5	no testing	no testing	28.3	34.4	28.9	31.8	28.4	44.6	36.3	38.3
37.7	N/A	no testing	no testing	20.9	21.9	16.8	40.6	36.2	41.4	26.4	32.6
N/A	29.7	no testing	no testing	26.0	26.9	23.8	34.0	42.5	47.6	37.7	40.1
42.1	31.0	no testing	no testing	32.8	33.0	26.4	44.0	32.0	41.6	40.5	40.6
N/A	23.1	no testing	no testing	20.7	20.0	17.5	84.9	27.8	36.2	32.9	32.8
40.2	29.4	no testing	no testing	30.2	32.1	24.1	32.7	N/A	46.5	35.2	37.5
44.1	28.9	no testing	no testing	24.6	24.5	19.8	36.0	37.8	43.4	41.0	38.2
40.9	28.4	no testing	no testing	21.3	22.9	17.7	31.9	30.1	36.4	36.4	34.5
34.4	28.9	no testing	no testing	27.7	N/A	25.8	40.8	38.9	44.7	37.5	38.9
31.9	23.5	no testing	no testing	N/A	21.3	17.8	N/A	N/A	28.1	35.6	33.3
N/A	25.7	no testing	no testing	26.3	27.4	21.1	33.4	N/A	51.1	40.3	36.5
27.6	20.9	no testing	no testing	16.1	17.8	12.9	23.6	N/A	40.2	31.6	26.7
32.6	23.1	no testing	no testing	19.2	22.6	17.2	29.6	30.7	40.9	35.1	34.2
39.8	29.0	no testing	no testing	23.8	28.2	19.9	29.9	32.1	38.9	35.6	35.0
33.0	28.2	no testing	no testing	21.3	24.3	19.6	35.8	33.9	38.3	37.6	35.0
37.9	24.5	no testing	no testing	21.3	20.9	17.3	N/A	28.9	38.1	37.2	32.0
47.7	39.8	no testing	no testing	37.0	36.8	32.1	38.8	46.5	44.1	44.8	46.3
37.9	25.1	no testing	no testing	26.5	N/A	20.6	N/A	N/A	N/A	40.9	35.7
33.2	30.4	no testing	no testing	19.7	21.3	18.2	31.7	32.9	N/A	35.9	33.1
36.2	29.2	no testing	no testing	25.7	29.0	23.2	34.0	35.2	42.8	36.1	35.2
42.1	27.7	no testing	no testing	N/A	30.6	23.0	37.8	35.0	45.0	33.9	38.6
31.9	23.1	no testing	no testing	21.6	N/A	15.9	29.5	32.9	36.4	34.3	32.0
32.0	28.2	no testing	no testing	20.8	22.1	16.8	N/A	33.3	40.0	35.6	33.5
39.5	30.7	no testing	no testing	N/A	23.8	18.2	28.8	32.7	41.0	35.9	37.5
30.0	24.7	no testing	no testing	N/A	N/A	N/A	N/A	27.8	N/A	N/A	31.2
33.3	25.4	no testing	no testing	20.6	21.4	18.5	N/A	29.7	38.1	31.6	31.2
43.2	32.2	no testing	no testing	27.9	29.4	22.2	40.6	34.0	50.4	43.5	40.6

52.3	33.8	no testing	no testing	24.5	30.1	24.6	40.7	44.5	43.4	37.7	41.6
24.1	21.7	no testing	no testing	20.9	19.4	16.0	25.6	N/A	35.9	27.0	26.0
N/A	33.0	no testing	no testing	N/A	N/A	26.9	46.2	51.0	52.2	46.2	44.0
50.8	33.3	no testing	no testing	30.8	35.3	27.0	42.8	N/A	55.1	45.8	45.0
N/A	25.5	no testing	no testing	20.7	21.8	16.4	29.0	31.2	40.0	39.4	30.9
28.7	24.6	no testing	no testing	22.1	24.7	18.8	30.6	34.9	39.0	33.8	31.3
N/A	34.1	no testing	no testing	28.7	29.0	23.8	38.3	35.9	44.6	43.2	38.8
36.2	24.7	no testing	no testing	19.4	20.0	16.2	28.2	29.6	37.4	34.8	31.0
30.6	20.1	no testing	no testing	20.2	21.9	17.3	27.2	28.3	38.2	34.9	29.8
N/A	35.1	no testing	no testing	25.9	27.6	20.3	32.9	36.9	43.8	42.2	38.8
42.1	33.2	no testing	no testing	23.4	25.5	20.0	35.6	35.3	44.5	41.4	39.2
26.0	21.3	no testing	no testing	17.0	18.3	14.2	25.9	N/A	35.7	30.1	26.9

37.0	27.7	no testing	no testing	24.0	25.5	19.7	34.0	33.6	41.3	36.7	34.9
------	------	------------	------------	------	------	------	------	------	------	------	------