

Concentration of NO₂


December 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal** >40 $\mu\text{g}/\text{m}^3$
- Unhealthy** 30 – 40 $\mu\text{g}/\text{m}^3$
- Lower risk** <30 $\mu\text{g}/\text{m}^3$

World Health Organisation (WHO) guideline: 10 $\mu\text{g}/\text{m}^3$
as an annual average



Concentration of NO₂


November 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal** >40 $\mu\text{g}/\text{m}^3$
- Unhealthy** 30 – 40 $\mu\text{g}/\text{m}^3$
- Lower risk** <30 $\mu\text{g}/\text{m}^3$

World Health Organisation (WHO) guideline: 10 $\mu\text{g}/\text{m}^3$
as an annual average



Concentration of NO₂


October 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal** >40 µg/m³
- Unhealthy** 30 – 40 µg/m³
- Lower risk** <30 µg/m³

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


September 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal >40 µg/m³**
- Unhealthy 30 – 40 µg/m³**
- Lower risk <30 µg/m³**

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


August 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal** >40 µg/m³
- Unhealthy** 30 – 40 µg/m³
- Lower risk** <30 µg/m³

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


July 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal** >40 µg/m³
- Unhealthy** 30 – 40 µg/m³
- Lower risk** <30 µg/m³

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


June 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal >40 µg/m³**
- Unhealthy 30 – 40 µg/m³**
- Lower risk <30 µg/m³**

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


May 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal >40 µg/m³**
- Unhealthy 30 – 40 µg/m³**
- Lower risk <30 µg/m³**

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


April 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal >40 µg/m³**
- Unhealthy 30 – 40 µg/m³**
- Lower risk <30 µg/m³**

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


March 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal** >40 µg/m³
- Unhealthy** 30 – 40 µg/m³
- Lower risk** <30 µg/m³

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


February 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal** >40 µg/m³
- Unhealthy** 30 – 40 µg/m³
- Lower risk** <30 µg/m³

World Health Organisation (WHO) guideline: 10 µg/m³ as an annual average



Concentration of NO₂


January 2022

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal** >40 µg/m³
- Unhealthy** 30 – 40 µg/m³
- Lower risk** <30 µg/m³

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


December 2021

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal >40 µg/m³**
- Unhealthy 30 – 40 µg/m³**
- Lower risk <30 µg/m³**

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


November 2021

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal** >40 µg/m³
- Unhealthy** 30 – 40 µg/m³
- Lower risk** <30 µg/m³

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


October 2021

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal >40 µg/m³**
- Unhealthy 30 – 40 µg/m³**
- Lower risk <30 µg/m³**

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


September 2021

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal >40 µg/m³**
- Unhealthy 30 – 40 µg/m³**
- Lower risk <30 µg/m³**

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂


August 2021

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal >40 µg/m³**
- Unhealthy 30 – 40 µg/m³**
- Lower risk <30 µg/m³**

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average



Concentration of NO₂

July 2021

Source: based on [Breathe London](#)

Informal guide to health risk
(average concentration for 12 months)

- Illegal >40 µg/m³**
- Unhealthy 30 – 40 µg/m³**
- Lower risk <30 µg/m³**

World Health Organisation (WHO) guideline: **10 µg/m³**
as an annual average